



INNOVATION AND EXCELLENCE SINCE 1992

Customer: **SMART**
CERTIFICATE ANALYSIS PRODUCT FINISHED
 Product: **MAGNESIUM MALATE 120 CP** Code **LU918**
 N°PNT Reference **MAPA LU918** Batch/N°analysis: **2001 09 2023**

CONCEPT		RESULTS		
Presentation		120 tablets of Dimagnesium Malate on Storages		
Date Fabrication		SEPTEMBER 2020		
Analyses of samples		As documents in process		
Expire day		SEPTEMBER 2023		
Production order number		084811		
Bottling order number		084812		
Raw Material certificate inspection		Correct		
Bottling Material inspection		Correct		
Process certificates review		Correct		
	Analysis	Méthod	Specifications	Results
Organoleptics properties	Aspect	Visual Control	Tablets	Correct
	Odor	Olfactory Control	Not odor.	Correct
	Taste	Taste Control	Not odor.	Correct
	Colour	Visual Control	White/Beige.	Correct
Physichal-chemical Parameters	Average	Average	$\geq 1140 \leq 1260$ mg.	1244 mg.
	Uniformity mass	F. Eur 3 ^a ed., 2.9.5.	$\geq 1140 \leq 1260$ mg.	1232 mg.
	Height	Pié de rey	$\geq 5,0 \leq 5,3$	5,2 mm
	Hardness	FEE007	$\geq 4 \leq 7$	4 Kp
	Wet	FEE011 60°C 60 hPa 2h	≤ 6 %	4 %
	Friability	FEE025	≤ 1 %	0,4 %
Time dispersion	Water very hot	≤ 8 min.	4 min.	
Packaging	Aspect Storage	Visual Control	White	Correct
	N° tablets/storage	Visual Control	120	Correct
	N° Storages/Box	Visual Control	73	Correct
Marking Label	Batch/ Expire day	Control Visual	2001 09 2023 MAGNESIUM MALATE	Correct
	Printer	Control Visual		Correct
Quantities	Ingredients mg./cáp:	As specifications Customer.		
Units per box	73 Storages in a Box.			Correct
Units	Results: 3896 storages.			
Preservation	Dry place and To keep out of light			

Date: 28/09/2020