CERTIFICATE OF ANALYSIS

Name of Product

Lot Number: 1330224Specification No: 0558Best-if-used-by: 02/27Checking of raw material analysis certificates: Conforms

Presentation : Bottle of Tablets

SAMPLE	SPECIFICATIONS	RESULTS
1- Appearance	White Tablet	Positive
2- Identification	Positive	Positive
3-No. of caps/bottle	60	Conforms

4- Weight of capsule 864 mg. + - 10% 845.7 mg (average)

6- Less than 95 per gram

Total plate count	<100,000 cfu/g	Conforms
Total yeast & mold	<10,000 cfu/g	Conforms
E. Coli	Negative	Negative
Salmonella	Negative	Negative

7 D .: 11	N.T	` T
7- Pesticides	Negative	Negative
/ - 1 Colleluco	Negative	INCESTIVE

8- Chemical Analysis

Lead	0.0 mg/kg	0.0
Arsenic	0.0 mg/kg	0.0
Mercury	0.0 mg/kg	0.0

O T' C	T 11 00 1	T 11 00 1
9- Time of	Less than 30 minutes	Less than 30 minutes
)- 1 IIIIC ()1	Less man 30 minutes	Less man by minutes

Disintegration: in simulated gastric fluids USP <2040>

Signature of Analyst

03/14/2024

Date of Analysis

This product conforms to the above mentioned specifications and is suitable for human consumption. The product is manufactured in the USA by a GMP certified lab.