

# SuperSmart<sup>®</sup>

## CERTIFICATE OF ANALYSIS

Name of Product : Optimag  
Lot Number : 1180123  
Specification No : 0573  
Best-if-used-by : 01/26  
Checking of raw material analysis certificates: Conforms  
Presentation : Bottle

SAMPLE	SPECIFICATIONS	RESULTS
1- Appearance	White Capsule	Positive
2- Identification	Positive	Positive
3-No. of capsules/bottle	120	Conforms
4- Weight of capsules USP<2091>	990 mg. + - 5%	992 mg (average)
5-Size	'00' Veggie	Conforms

### 6- Less than 95 per gram USP<2021>


Total plate count	<100,000 cfu/g	Conforms
Total yeast & mold	<10,000 cfu/g	Conforms
E. Coli	Negative	Negative
Salmonella	Negative	Negative

7- Pesticides Negative Negative

### 8- Chemical Analysis

Lead	0.0 mg/kg	0.0
Arsenic	0.0 mg/kg	0.0
Mercury	0.0 mg/kg	0.0

9- Time of Disintegration: in  
Simulated gastric  
Fluids USP <2040> Less than 15 minutes <15 min

  
Signature of Analyst

08/17/2023  
Date of Analysis

This product conforms to the above mentioned specifications and is suitable for human consumption. The product is manufactured in USA by a GMP certified lab.