




INNOVATION AND EXCELLENCE SINCE 1992


CERTIFICATE OF ANALYSIS

Name of Product : Antioxidant Synergy
 Lot Number : 360821
 Specification No : 0596
 Best-if-used-by : 08/23
 Checking of raw material analysis certificates : Conforms
 Presentation : Bottle of Capsules

SAMPLE	SPECIFICATIONS	RESULTS
1- Appearance	Brown Capsule	Positive
2- Identification	Positive	Positive
3-No. of caps/bottle	60	Conforms
4- Weight of capsule	490 mg. + - 5	491 mg (average)
5-Empty capsule	'0' Veggie Clear	Conforms
6- Less than 95 per gram		
Total plate count	<100,000 cfu/g	Conforms
Total yeast & mold	<10,000 cfu/g	Conforms
E. Coli	Negative	Negative
Salmonella	Negative	Negative
7- Pesticides	Negative	Negative
8- Chemical Analysis		
Lead	0.0 mg/kg	0.0
Arsenic	0.0 mg/kg	0.0
Mercury	0.0 mg/kg	0.0
9- Time of Disintegration: in Simulated gastric Fluids USP <2040>	Less than 15 minutes	5 minutes



 Signature of Analyst



 Date of Analysis

This product conforms to the above mentioned specifications and is suitable for human consumption. The product is manufactured in USA by a GMP certified lab.