

CERTIFICATE OF ANALYSIS

Name of Product : Catalase
Lot Number : 050724
Specification No : 0615
Best-if-used-by : 07/27
Checking of raw material analysis certificates: Conforms
Presentation : Bottle

SAMPLE	SPECIFICATIONS	RESULTS
1- Appearance	White Capsules	Positive
2- Identification	Positive	Positive
3-No. of capsules/bottle	60	Conforms
4- Weight of Capsule USP<2091>	560 mg. + - 10%	538.1 mg (average)
5-Size	'0' DR CAPS	Conforms
6- Less than 95 per gram USP<2021>		
Total plate count	<100,000 cfu/g	Conforms
Total yeast & mold	<10,000 cfu/g	Conforms
E. Coli	Negative	Negative
Salmonella	Negative	Negative
7- Pesticides	Negative	Negative
8- Chemical Analysis		
Lead	0.0 mg/kg	0.0
Arsenic	0.0 mg/kg	0.0
Mercury	0.0 mg/kg	0.0
9- Time of Disintegration: in Simulated gastric Fluids USP <2040>	Less than 15 minutes	<15 min


Signature of Analyst

07/18/2024
Date of Analysis

This product conforms to the above mentioned specifications and is suitable for human consumption. The product is manufactured in the USA by a GMP certified lab.