


**CERTIFICATE OF ANALYSIS**

Name of Product : Pterostilbene  
 Lot Number : 221020  
 Specification No : 0654  
 Best-if-used-by : 10/22  
 Checking of raw material analysis certificates : Conforms  
 Presentation : Blister of Capsules

| SAMPLE  | SPECIFICATIONS       | RESULTS              |
|---|----------------------|----------------------|
| 1- Appearance   | White Capsule        | Positive             |
| 2- Identification   | Positive             | Positive             |
| 3-No. of caps/bottle  | 30                   | Conforms             |
| 4- Weight of capsule  | 472 mg. + - 5%       | 476 mg (average)     |
| 5-Empty capsule   | '0' Veggie           | Conforms             |
| 6- Less than 95 per gram  |                      |                      |
| Total plate count   | <100,000 cfu/g       | Conforms             |
| Total yeast & mold  | <10,000 cfu/g        | Conforms             |
| E. Coli   | Negative             | Negative             |
| Salmonella  | Negative             | Negative             |
| 7- Pesticides   | Negative             | Negative             |
| 8- Chemical Analysis  |                      |                      |
| Lead  | 0.0 mg/kg            | 0.0                  |
| Arsenic   | 0.0 mg/kg            | 0.0                  |
| Mercury   | 0.0 mg/kg            | 0.0                  |
| 9- Time of Disintegration: in Simulated gastric Fluids USP <2040> | Less than 15 minutes | Less than 15 minutes |

  
 \_\_\_\_\_  
 Signature of Analyst

10/26/2020  
 Date of Analysis

This product conforms to the above mentioned specifications and is suitable for human consumption. The product is manufactured in USA by a GMP certified lab.