

SuperSmart[®]

CERTIFICATE OF ANALYSIS

Name of Product : Paradoxine
Lot Number : 1430224
Specification No : 0705
Best-if-used-by : 02/27
Checking of raw material analysis certificates: Conforms
Presentation : Bottle

| SAMPLE | SPECIFICATIONS | RESULTS |
|--------------------------------|-----------------|--------------------|
| 1- Appearance | Beige Capsule | Positive |
| 2- Identification | Positive | Positive |
| 3-No. of capsules/bottle | 90 | Conforms |
| 4- Weight of Capsule USP<2091> | 585 mg. + - 10% | 559.4 mg (average) |
| 5-Size | '0'Veggie | Conforms |

6- Less than 95 per gram USP<2021>

| | | |
|--------------------|----------------|----------|
| Total plate count | <100,000 cfu/g | Conforms |
| Total yeast & mold | <10,000 cfu/g | Conforms |
| E. Coli | Negative | Negative |
| Salmonella | Negative | Negative |


7- Pesticides Negative Negative

8- Chemical Analysis

| | | |
|---------|-----------|-----|
| Lead | 0.0 mg/kg | 0.0 |
| Arsenic | 0.0 mg/kg | 0.0 |
| Mercury | 0.0 mg/kg | 0.0 |

9- Time of Less than 15 minutes <15 min

Disintegration: in
Simulated gastric
Fluids USP <2040>


Signature of Analyst

07/11/2024
Date of Analysis

This product conforms to the above mentioned specifications and is suitable for human consumption. The product is manufactured in the USA by a GMP certified lab.