



CERTIFICATE OF ANALYSIS

Name of Product : Paradoxine
Lot Number : 860320
Specification No : AS-0705
Best-if-used-by : 03/22
Checking of raw material analysis certificates: Conforms
Presentation : Bottle

Table with 3 columns: SAMPLE, SPECIFICATIONS, RESULTS. Rows include 1- Appearance (Positive), 2- Identification (Positive), 3- No. of capsules/bottle (90), 4- Weight of Capsule USP<2091> (530 mg. +- 5%), 5- Size ('0'Veggie) (Conforms).

Table with 3 columns: SAMPLE, SPECIFICATIONS, RESULTS. Rows include 6- Less than 95 per gram USP<2021> (Total plate count <100,000 cfu/g, Total yeast & mold <10,000 cfu/g, E. Coli Negative, Salmonella Negative) (Conforms).

7- Pesticides Negative Negative

Table with 3 columns: SAMPLE, SPECIFICATIONS, RESULTS. Rows include 8- Chemical Analysis (Lead, Arsenic, Mercury) (0.0 mg/kg, 0.0 mg/kg, 0.0 mg/kg).

9- Time of Less than 15 minutes <15 min

Disintegration: in Simulated gastric Fluids USP <2040>

Signature of Analyst (handwritten signature)

Date of Analysis 4/16/2020

This product conforms to the above mentioned specifications and is suitable for human consumption. The product is manufactured in USA by a GMP certified lab.