

SuperSmart[®]

CERTIFICATE OF ANALYSIS

Customer	: Smart Pharmaceuticals		
Product	: Oral Health EU - 30 sticks	Lot N°	: 7329
Reference	: 62PFIN1SMA011	Expiry date	: 07/2026
GENERAL SPECIFICATIONS			RESULTS
Checking of raw materials certificates			Conform
Packaging	: 30 sticks in box		Conform
Ingredients	: in accordance to ERP		Conform
The quantities of excipients can slightly vary from one production to another according to the densities of the raw materials.			
ORGANOLEPTIC PROPERTIES			RESULTS
Tests	Method	Standard	
Appearance	: Visual control	White to offwhite powder	Conform
Smell	: Olfactory	Typical	Conform
PHYSICO/CHEMICAL PROPERTIES			RESULTS
Tests	Method	Standard	
Total weight stick	: Internal method	1000 mg \pm 7,5%	Conform
MICROBIOLOGICAL ANALYSIS			RESULTS
Tests	Method	Standard	
Enterobacteriaceae	: BRD 07/24-11/13	< 100 CFU/g	10 CFU/g
Listeria monocytogenes	: BRD 07/10-04/05	Absent/25 g	Absence
Escherichia coli	: ISO 7251	Absent/g	Absence
Salmonella	: BRD 07/06-07/4	Absent/25 g	Absence
Positive coagulase Staphilococci	: ISO 6888-3	Absent/g	Absence
Yeast and moulds	: NF V08-059	< 100 CFU/g	< 10 CFU/g
			Date : 27/02/2025

This product with the above mentioned batchnumber is conform to the above mentioned specifications.

It is manufactured by a ISO 22 000 certified company.

This certificate is computer generated, thus no signature is required.

