

SuperSmart[®]

CERTIFICATE OF ANALYSIS

Name of Product	: Systemic Enzymes
Lot Number	: 1120925
Best-if-used-by	: 09/2028
Checking of raw material analysis certificates	: Conforms
Presentation	: Bottle of Capsules


SAMPLE	SPECIFICATIONS	RESULTS
1- Appearance	Beige Capsule	Positive
2- Identification	Positive	Positive
3- No. of caps/bottle	100	Conforms
4- Weight of capsule USP<2091>	628 mg. + - 10%	602.1 mg (average)
5- Size	'0' Veggie	Conforms

6- Less than 95 per gram		
Total plate count	<100,000 cfu/g	Conforms
Total yeast & mold	<10,000 cfu/g	Conforms
E. Coli	Negative	Negative
Salmonella	Negative	Negative

7- Pesticides	Negative	Negative
---------------	----------	----------

8- Chemical Analysis		
Lead	0.0 mg/kg	0.0
Arsenic	0.0 mg/kg	0.0
Mercury	0.0 mg/kg	0.0


9- Time of	Less than 15 minutes	7 minutes
Disintegration: in		
Simulated gastric		
Fluids USP <2040>		



Signature of Preparer

12/17/2025

Date of Analysis



Signature of Verifier

12/17/2025

Date of Analysis

This product conforms to the above-mentioned specifications and is suitable for human consumption. The product is manufactured in the USA by a GMP certified lab.