

SuperSmart[®]

Customer:

SMART

CERTIFICATE ANALYSIS PRODUCT FINISHED

Product:

DIMAGNESIUM MALATE 120 CP

Code **LU918**

NºPNT Reference MAPA LU918

Batch/Nºanalysis: **2601 02 2029**

CONCEPT		RESULTS		
Presentation		120 tablets of Dimagnesium Malate on Storages		
Date Fabrication		FEBRUARY 2026		
Analyses of samples		As documents in process		
Expire day		FEBRUARY 2029		
Production order number		252.169		
Bottling order number		252.169		
Raw Material certificate inspection		Correct		
Bottling Material inspection		Correct		
Process certificates review		Correct		
	Analysis	Méthod	Specifications	Results
Organoleptics properties	Aspect	Visual Control	Tablets	Correct
	Odor	Olfactory Control	Not odor.	Correct
	Taste	Taste Control	Not odor.	Correct
	Colour	Visual Control	White/Beige.	Correct
Physichal-chemical Parameters	Average	Average	$\geq 1140 \leq 1260$ mg.	1233 mg.
	Uniformity mass	F. Eur 3 ^a ed., 2.9.5.	$\geq 1140 \leq 1260$ mg.	1228 mg.
	Height	Pié de rey	$\geq 5,0 \leq 5,3$	5,2 mm
	Hardness	FEE007	$\geq 4 \leq 7$	4 Kp
	Wet	FEE011 60°C 60 hPa 2h	≤ 6 %	4 %
	Friability	FEE025	≤ 1 %	0,4 %
	Time dispersion	Water very hot	≤ 8 min.	4 min.
Packaging	Aspect Storage	Visual Control	White	Correct
	N° tablets/storage	Visual Control	120	Correct
	N° Storages/Box	Visual Control	73	Correct
Marking Label	Batch/ Expire day	Control Visual	2601 02 2029 MAGNESIUM MALATE	Correct
	Printer	Control Visual		Correct
Quantities	Ingredients mg./cáp:	As specifications Customer.		
Units per box	73 Storages in a Box.			Correct
Units		Results: 3865 storages		
Preservation	Dry place and To keep out of light			

Elaborado por Patricia Arévalo

Fecha: 20/02/2026