

SuperSmart[®]

CERTIFICATE OF ANALYSIS

Name of Product : Optimag
Lot Number : 1700625
Best-if-used-by : 06/2028
Checking of raw material analysis certificates : Conforms
Presentation : Bottle of Capsules

SAMPLE	SPECIFICATIONS	RESULTS
1- Appearance	White Capsule	Positive
2- Identification	Positive	Positive
3-No. of caps/bottle	120	Conforms
4- Weight of capsule USP<2091>	1055 mg. + - 10%	1017.7 mg (average)
5- Size	'00' Veggie	Conforms
6- Less than 95 per gram		
Total plate count	<100,000 cfu/g	Conforms
Total yeast & mold	<10,000 cfu/g	Conforms
E. Coli	Negative	Negative
Salmonella	Negative	Negative
7- Pesticides	Negative	Negative
8- Chemical Analysis		
Lead	0.0 mg/kg	0.0
Arsenic	0.0 mg/kg	0.0
Mercury	0.0 mg/kg	0.0
9- Time of	Less than 15 minutes	Less than 15 minutes
Disintegration: in		
Simulated gastric		
Fluids USP <2040>		



Signature of Preparer

10/08/2025

Date of Analysis



Signature of Verifier

10/08/2025

Date of Analysis

This product conforms to the above-mentioned specifications and is suitable for human consumption. The product is manufactured in the USA by a GMP certified lab.