

# SuperSmart®


## CERTIFICATE OF ANALYSIS

Name of Product : Super Bone Formula  
Lot Number : 1211125  
Specification No : 0576  
Best-if-used-by : 11/2028  
Checking of raw material analysis certificates : Conforms  
Presentation : Bottle of Tablets

| SAMPLE                                                       | SPECIFICATIONS       | RESULTS             |
|--------------------------------------------------------------|----------------------|---------------------|
| 1- Appearance                                                | White Tablets        | Positive            |
| 2- Identification                                            | Positive             | Positive            |
| 3-No. of tablets/bottle                                      | 120                  | Conforms            |
| 4- Weight of Tablets USP<2091>                               | 1453 mg. + - 10%     | 1482.6 mg (average) |
| 5-Size                                                       | 320/750 Oval         | Conforms            |
| 6- Less than 95 per gram                                     |                      |                     |
| Total plate count                                            | <10,000 cfu/g        | Conforms            |
| Total yeast & mold                                           | <1,000 cfu/g         | Conforms            |
| E. Coli                                                      | Negative             | Negative            |
| Salmonella                                                   | Negative             | Negative            |
| 7- Pesticides                                                | Negative             | Negative            |
| 8- Chemical Analysis                                         |                      |                     |
| Lead                                                         | 0.0 mg/kg            | 0.0                 |
| Arsenic                                                      | 0.0 mg/kg            | 0.0                 |
| Mercury                                                      | 0.0 mg/kg            | 0.0                 |
| 9- Time of                                                   | Less than 30 minutes | 29 minutes          |
| Disintegration: in<br>simulated gastric<br>fluids USP <2040> |                      |                     |

  
Signature of Preparer

12/16/2025  
Date of Analysis

  
Signature of Verifier

12/16/2025  
Date of Analysis

This product conforms to the above mentioned specifications and is suitable for human consumption.  
The product is manufactured in the USA by a GMP certified lab.