

SuperSmart®

CERTIFICATE OF ANALYSIS


Name of Product	: Adaptix
Lot Number	: 850225
Specification No	: 0594
Best-if-used-by	: 02/2028
Checking of raw material analysis certificates	: Conforms
Presentation	: 90 Capsules in Bottle

SAMPLE	SPECIFICATIONS	RESULTS
1- Appearance	Brown Capsule	Positive
2- Identification	Positive	Positive
3-No. of caps/bottle	90	Conforms
4- Weight of capsule	580 mg. + - 10%	553.7 mg. (average)
5-Empty capsule	'0' Veggie	Conforms

6- Less than 95 per gram		
Total plate count	<10,000 cfu/g	Conforms
Total yeast & mold	<1,000 cfu/g	Conforms
E. Coli	Negative	Negative
Salmonella	Negative	Negative
7- Pesticides	Negative	Negative

8- Chemical Analysis		
Lead	0.0 mg/kg	0.0
Arsenic	0.0 mg/kg	0.0
Mercury	0.0 mg/kg	0.0


9- Time of Disintegration: in Simulated gastric Fluids USP <2040>	Less than 15 minutes	6 minutes
---	----------------------	-----------



Signature of Preparer

05/11/2026

Date of Prepared



Signature of Verifier

05/11/2026

Date of Approved

This product conforms to the above mentioned specifications and is suitable for human consumption. The product is manufactured in the USA by a GMP certified lab.