

# SuperSmart<sup>®</sup>

## CERTIFICATE OF ANALYSIS

Name of Product : Natural Anti Aromatase Support  
Lot Number : 390226  
Specification No : 0608  
Best-if-used-by : 02/29  
Checking of raw material analysis certificates: Conforms  
Presentation : Bottle of Tablets

| SAMPLE                          | SPECIFICATIONS   | RESULTS             |
|---------------------------------|------------------|---------------------|
| 1- Appearance                   | Cream Tablet     | Positive            |
| 2- Identification               | Positive         | Positive            |
| 3-No. of capsules/bottle        | 120              | Conforms            |
| 4- Weight of capsules USP<2091> | 1162 mg. + - 10% | 1151.0 mg (average) |


|                                    |               |          |
|------------------------------------|---------------|----------|
| 6- Less than 95 per gram USP<2021> |               |          |
| Total plate count                  | <10,000 cfu/g | Conforms |
| Total yeast & mold                 | <1,000 cfu/g  | Conforms |
| E. Coli                            | Negative      | Negative |
| Salmonella                         | Negative      | Negative |

|               |          |          |
|---------------|----------|----------|
| 7- Pesticides | Negative | Negative |
|---------------|----------|----------|

### 8- Chemical Analysis

|         |           |     |
|---------|-----------|-----|
| Lead    | 0.0 mg/kg | 0.0 |
| Arsenic | 0.0 mg/kg | 0.0 |
| Mercury | 0.0 mg/kg | 0.0 |

|                                                                         |                      |           |
|-------------------------------------------------------------------------|----------------------|-----------|
| 9- Time of Disintegration: in<br>Simulated gastric<br>Fluids USP <2040> | Less than 15 minutes | 1 minutes |
|-------------------------------------------------------------------------|----------------------|-----------|

  
Signature of Preparer  
  
Signature of Verifier

04/28/2026  
Date of Analysis

04/28/2026  
Date of Analysis

This product conforms to the above mentioned specifications and is suitable for human consumption. The product is manufactured in the USA by a GMP certified lab.