


SuperSmart®

CERTIFICATE OF ANALYSIS

Name of Product : Pterostilbene
Lot Number : 770225
Specification No : 0654
Best-if-used-by : 02/2028
Checking of raw material analysis certificates : Conforms
Presentation : Blisters

SAMPLE	SPECIFICATIONS	RESULTS
1- Appearance	White Capsule	Positive
2- Identification	Positive	Positive
3-No. of caps/blister	15	Conforms
4- Weight of capsule USP<2091>	475 mg. + - 10%	481.9 mg (average)
5- Size	'0' Veggie	Conforms
6- Less than 95 per gram		
Total plate count	<100,000 cfu/g	Conforms
Total yeast & mold	<10,000 cfu/g	Conforms
E. Coli	Negative	Negative
Salmonella	Negative	Negative
7- Pesticides	Negative	Negative
8- Chemical Analysis		
Lead	0.0 mg/kg	0.0
Arsenic	0.0 mg/kg	0.0
Mercury	0.0 mg/kg	0.0
9- Time of	Less than 15 minutes	5 minutes
Disintegration: in		
Simulated gastric		
Fluids USP <2040>		


Signature of Preparer

12/17/2025

Date of Analysis


Signature of Verifier

12/17/2025

Date of Analysis

This product conforms to the above-mentioned specifications and is suitable for human consumption. The product is manufactured in the USA by a GMP certified lab.