

SuperSmart[®]

CERTIFICATE OF ANALYSIS

Name of Product	: Bone Morphogenetic Proteins
Lot Number	: 721225
Best-if-used-by	: 12/28
Checking of raw material analysis certificates	: Conforms
Presentation	: Capsules in the Blister

SAMPLE	SPECIFICATIONS	RESULTS
1- Appearance	White Capsule	Positive
2- Identification	Positive	Positive
3-No. of caps/bottle	30 Gastro-resistant Capsules	Conforms
4- Weight of capsule	632 mg. + - 10%	649.7 mg (average)
5-Empty capsule	'0' Veggie Clear	Conforms


6- Less than 95 per gram		
Total plate count	<10,000 CFU/g	Conforms
Total yeast & mold	<1,000 CFU/g	Conforms
E. Coli	Negative	Negative
Salmonella	Negative	Negative

7- Pesticides	Negative	Negative
---------------	----------	----------

8- Chemical Analysis

Lead	0.0 mg/kg	0.0
Arsenic	0.0 mg/kg	0.0
Mercury	0.0 mg/kg	0.0


9- Time of Disintegration: in Simulated gastric Fluids USP <2040>	Less than 15 minutes	8 minutes
---	----------------------	-----------



Signature of Preparer

02/09/2026

Date of Analysis



Signature of Verifier

02/09/2026

Date of Analysis

This product conforms to the above mentioned specifications and is suitable for human consumption. The product is manufactured in the USA by a GMP certified lab.