

SuperSmart®

CERTIFICATE OF ANALYSIS

Name of Product : Full Spectrum Probiotic
Lot Number : 1381025
SKU Code : 0814
Best-if-used-by : 10/2028
Checking of raw material analysis certificates : Conforms
Presentation : 4 Blisters per Printed Box

SAMPLE	SPECIFICATIONS	RESULTS
1- Appearance	Beige Capsule	Positive
2- Identification	Positive	Positive
3-No. of caps/Primary Box	60	Conforms
4- Weight of capsule USP<2091>	560 mg. + - 10%	540.7 mg (average)
5-Empty capsule	'0' DR CAPS	Conforms
6- Less than 95 per gram		
Total plate count	<100,000 cfu/g	Conforms
Total yeast & mold	<10,000 cfu/g	Conforms
E. Coli	Negative	Negative
Salmonella	Negative	Negative
7- Pesticides	Negative	Negative
8- Chemical Analysis		
Lead	0.0 mg/kg	0.0
Arsenic	0.0 mg/kg	0.0
Mercury	0.0 mg/kg	0.0
9- Time of Disintegration: in Simulated gastric Fluids USP <2040>	Less than 15 minutes	Less than 15 minutes


Signature of Preparer

11/20/2025

Date of Analysis


Signature of Verifier

11/20/2025

Date of Analysis

This product conforms to the above-mentioned specifications and is suitable for human consumption. The product is manufactured in the USA by a GMP certified lab.